

Fig. 1




Fig. 2




Fig. 3




Fig. 4A

14a

INPUT NAME AND ADDRESS

NAME

ADDRESS

RETURN NEXT

Fig. 4B

14b

INPUT THE FOLLOWING ITEMS

CONDITION A	YES	NO
CONDITION B	YES	NO
CONDITION C	YES	NO

RETURN NEXT

Fig. 4C

14c

INPUT IMAGE DATA

FILE NAME

FILE SIZE

RETURN NEXT

Fig. 4D




Fig. 4E




Fig. 4F




Fig. 5A




Fig. 5B




Fig. 6

OFFER DATA

OFFERER NAME	OFFERER A	OFFERER B	OFFERER C	...
OFFERER ADDRESS	X CITY, A MACHI	Y CITY, B MACHI	Y CITY, C MACHI	
STOREHOUSE ADDRESS	X CITY, A MACHI	X CITY, B MACHI	X CITY, C MACHI	
GEOMETRIC DISTANCE REQUIRED TIME	FROM AIRPORT (km)	6	10	12
	(h)	0.5	0.8	1
	FROM PORT (km)	10	6	8
	(h)	0.8	0.5	0.7
	FROM X CITY (km)	14	15	10
SITE	(h)	1	1	0.7
	FROM Y CITY (km)	9	10	10
	(h)	0.8	1	1
	IN DIRECTION FROM SOUTH TO NORTH (m)	15000 × 120	10000 × 200	12000 × 150
	AND IN DIRECTION FROM EAST TO WEST (m <sup>2</sup> )	1800000	2000000	1800000
STORAGE	STOREHOUSE SIZE	8000 × 45	5000 × 50	6000 × 45
	IN VERTICAL DIRECTION AND IN LATERAL DIRECTION			
	FROM BEAM (m)	8	10	11
	INTERVAL BETWEEN PILLARS (m)	10	10	12
	PERMISSION LOAD (t/m <sup>2</sup> )	3	2.8	3.2
∴				

Fig. 7

REFERENCE DATA

REFERENCE DATA			DETERMINATION VALUE SET	DESIRED VALUE SET	...
GEOMETRIC	DISTANCE REQUIRED TIME	FROM AIRPORT	(km) 25 OR BELOW	5 OR BELOW	
			(h) 2 OR BELOW	0.5 OR BELOW	
		FROM PORT	(km) 25 OR BELOW	5 OR BELOW	
			(h) 2 OR BELOW	0.5 OR BELOW	
		FROM X CITY	(km) 30 OR BELOW	8 OR BELOW	
SITE	SITE SIZE		(h) 2 OR BELOW	1 OR BELOW	
		FROM Y CITY	(km) 30 OR BELOW	10 OR BELOW	
			(h) 2 OR BELOW	0.7 OR BELOW	
		IN DIRECTION FROM SOUTH TO NORTH	(m) 8000 X 100 OR MORE	15000 X 250 OR MORE	
		AND IN DIRECTION FROM EAST TO WEST	(m <sup>2</sup> ) 80000 OR MORE	3750000 OR MORE	
STORAGE	STOREHOUSE SIZE	IN VERTICAL DIRECTION AND	(m) 4000 X 300 OR MORE	10000 X 30 OR MORE	
		IN LATERAL DIRECTION			
		BUILDING HEIGHT	(m) 8 OR MORE		
		INTERVAL BETWEEN	(m) 8 OR MORE		
		PERMISSION LOAD	(t/m <sup>2</sup> ) 2 OR MORE		
.	.				
.	.				
.	.				